SUPPLIER DECLARATION OF CONFORMITY (SDoC) In accordance with ISO/IEC 17050-1:2004

Name of New Zealand Limited	Name ² (of New Zeal				WWW. Carlot Carl		
Telephone: +619 8290200 New Zealand Company No. (if applicable): 1175771 Email Address: www.rheem.co.nz Medium Risk Article - Details' (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): Model number	Name ² (of New Zealand manufacturer or importer):				Contact Address:	Contact Address:	
Auckland New Zealand New	Rheem New Zealand Limited				Avondale 1026		
AGCRIAND New Zealand Company No. (if applicable): 1175771	164.0.9200200						
fedium Risk Article — Details* (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): Model number Dimensions (mm) Rheem GCFWH Ext 55* 16L/m NG Frost 6* Rheem GCFWH Ext 55* 16L/m NG Frost 6* Rheem GCFWH Ext 55* 20L/m N	relephone.						
Model number Dimensions (mm) Description S74816NFZ Rheem GCFWH Ext 55° 16L/m NG Frost 6° Rheem GCFWH Ext 55° 20L/m NG Frost 6° Rheem GCFWH Ext 55					New Zealand		
Model number Dimensions (mm) Description 874816NFZ Rheem GCFWH Ext 55° 16L/m NG Frost 6° 874826NFZ 355W x 580H x 187D Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 26L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ/J Rheem GCFWH Ext 55° 20L/m NG Frost 6° 874826NFZ	=mail Address: WV	/w.rneem.c	o.nz			n	
Rheem GCFWH Ext 55° 16L/m NG Frost 6° Rheem GCFWH Ext 55° 16L/m ULPG Frost 6° Rheem GCFWH Ext 55° 20L/m NG Frost 6° Rheem GCFWH Ext 55° 26L/m NG F	/ledium Risk Arti	cle – Details	s³ (Product name, typs	e, rating, brand	, model, batch numbers, and serial num	nbers, as applicable):	
Rheem GCFWH Ext 55° 16L/m ULPG Frost 6° Rheem GCFWH Ext 55° 20L/m NG Frost 6° Rheem GCFWH Ext 55° 20L/m NG Frost 6° Rheem GCFWH Ext 55° 20L/m NG Frost 6° Rheem GCFWH Ext 55° 26L/m NG F	Model number	Dim	ensions (mm)		Description		
Rheem GCFWH Ext 55° 16L/m ULPG Frost 6°	74816NFZ			Rheem G	CFWH Ext 55° 16L/m NG Frost	6*	
Rheem GCFWH Ext 55° 20L/m NG Frost 6°	74816LFZ						
Rheem GCFWH Ext 55° 20L/m ULPG Frost 6* Rheem GCFWH Ext 55° 20L/m NG Frost 6* Rheem GCFWH Ext 55° 26L/m NG Frost 6* Rhoem GCFWH Ext 55° 26L/m NG F	374820NFZ	355W	x 580H x 187D				
Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m NG Frost 6* Radard Rheem GCFWH Ext 55° 26L/m Rheem GCFWH Ext 55° 26L/m Rheem GCFWH Rheem Call Rheem Radard Rheem Radard Rheem Rh	74820LFZ						
Rheem GCFWH Ext 55° 26L/m NG Frost 6* JG The Medium Risk Article listed above, fully complies: With cited standard(s), as listed*: tandard number and issue year: AS/NZS 60335.1.2011 Standard number and issue year: AS/NZS60335.2.102:20 Edition / Amendment status: LAA1, +A2, +A3:2015 Standard title: "Household and similar Appliances-Safety, Part2.102 Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections" S/NZS ZZ modified Yes No No N/A AS/NZS ZZ modified Yes No No N/A AS/NZS ZZ modified Yes No Address(es): R Complies with the Conformity Cooperation Agreements Yes No Address(es): Address(es): Fasting and solid-fuel burning appliances having electrical connections" Address(es): Address(es): Fasting and solid-fuel burning appliances having electrical connections N/A Address(es): Address(es): Fasting and solid-fuel burning appliance is achieved Fasting and solid-fuel burning appliances and solid-fuel burning appliances and achieved Fasting and solid-fuel burning appliances and achieved Fasting and solid-fuel burning appliance is achieved Fasting and solid-fuel burning appliance is achieved Fasting and solid-fuel burning appliance is achieved Fas							
he Medium Risk Article listed above, fully complies: With cited standard(s), as listed*: tandard number and issue year:					**************************************		
Household and similar electrical Appliances-Safety, Part 1: General Requirements" "Household and similar Appliances-Safety, Part2.102 Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections" AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified Yes No No No AS/NZS ZZ modified Yes No No AS/NZS ZZ modified Yes No No No AS/NZS ZZ modified Yes No No No AS/NZS ZZ modified Yes No No No N/A NO AS/NZS ZZ modified Yes No No No No N/A NO N/A NO N/A NO N/A N/A NO N/A		status:	+A1, +A2, +A3	:2015			
Standard title: "Household and similar electrical Appliances-Safety, Part 1: General Requirements" Standard title: "Household and similar Appliances-Safety, Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections" AS/NZS ZZ modified Yes No NA AS/NZS ZZ modified Yes No NA AS/NZS ZZ modified Yes No NA AS/NZS ZZ modified Yes No AS/NZS	Standard number and	issue year:	AS/NZS 60335.	1.2011	Standard number and issue year:	AS/NZS60335.2.102:201	
"Household and similar electrical Appliances-Safety, Part2.102 Part 1: General Requirements" "Household and similar Appliances-Safety, Part2.102 Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections" AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified Yes No N		status:	+A1, +A2, +A3	:2015	Edition / Amendment status:		
Part 1: General Requirements" Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections" S/NZS ZZ modified Yes No N/A AS/NZS ZZ modified Yes No N/A R Complies with the Conformity Cooperation Agreements Yes No AS/NZS ZZ modified Yes No N/A AB/NZS ZZ modified Yes No N/A AB/NZ							
ames and addresses of any testing organisation or body lame(s): SGS Australia Address(es): Address(es): Address(es): Address(es): Address(es): Address(es): Reference to relevant test reports/certification and the issue date that show how compliance is achieved Report Certification or Document (s) used, to show how compliance is achieved: AS/NZS 60335.1.2011 Report Certification or Document issue dates(s): S17016A 25 May 2017				-Sarety,	Particular requirements for		
lames and addresses of any testing organisation or body Address(es): 73 Williams Road Blackburn, VIC 3130 Australia Address(es): Address(es): Reference to relevant test reports/certification and the issue date that show how compliance is achieved Report Certification or Document is achieved: AS/NZS 60335.1.2011 Reference N°(s): S17016A 25 May 2017	Part 1: General				burning appliances having e	electrical connections"	
lame(s): SGS Australia Address(es): 73 Williams Road Blackburn, VIC 3130 Australia Address(es): Address(es): Address(es): Reference to relevant test reports/certification and the issue date that show how compliance is achieved Address(es): Report Certification or Document reference N°(s): AS/NZS 60335.1.2011 S17016A 25 May 2017			No N/A	⊠			
Blackburn, VIC 3130 Australia Address(es): eference to relevant test reports/certification and the issue date that show how compliance is achieved tandard(s) or document(s) used, to show how compliance ith cited standard is achieved: AS/NZS 60335.1.2011 Blackburn, VIC 3130 Australia Report Certification or Document reference N°(s): S17016A 25 May 2017	S/NZS ZZ modified	Yes 🗌			AS/NZS ZZ modified Yes		
Blackburn, VIC 3130 Australia Address(es): Reference to relevant test reports/certification and the issue date that show how compliance is achieved Address(es): Report Certification or Document interest in the cited standard is achieved: AS/NZS 60335.1.2011 Blackburn, VIC 3130 Australia Report Certification or Document interest in the cited standard is achieved: S17016A D25 May 2017	S/NZS ZZ modified	Yes	Cooperation Agreem	ent⁵ Yes [AS/NZS ZZ modified Yes		
Address(es): Ad	S/NZS ZZ modified R Complies with the	Yes ne Conformity asses of any	Cooperation Agreem	ent⁵ Yes ☐	AS/NZS ZZ modified Yes		
reference to relevant test reports/certification and the issue date that show how compliance is achieved standard(s) or document(s) used, to show how compliance with cited standard is achieved: AS/NZS 60335.1.2011 Report Certification or Document reference N°(s): S17016A Z5 May 2017	S/NZS ZZ modified R Complies with the	Yes ne Conformity asses of any	Cooperation Agreem	ent⁵ Yes ☐	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn,		
standard(s) or document(s) used, to show how compliance Report Certification or Document reference N°(s): AS/NZS 60335.1.2011 Report Certification or Document reference N°(s): S17016A Z5 May 2017	S/NZS ZZ modified OR Complies with the	Yes ne Conformity asses of any	Cooperation Agreem	ent⁵ Yes ☐	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn,		
standard(s) or document(s) used, to show how compliance Report Certification or Document reference N°(s): AS/NZS 60335.1.2011 Report Certification or Document reference N°(s): S17016A Z5 May 2017	S/NZS ZZ modified OR Complies with the ames and addressed lame(s): SGS A	Yes ne Conformity asses of any	Cooperation Agreem	ent ^s Yes n or body Address(es):	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn,		
standard(s) or document(s) used, to show how compliance Report Certification or Document reference N°(s): AS/NZS 60335.1.2011 Report Certification or Document reference N°(s): S17016A Z5 May 2017	S/NZS ZZ modified OR Complies with the ames and addressed lame(s): SGS A	Yes ne Conformity asses of any	Cooperation Agreem	ent ^s Yes n or body Address(es):	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn,		
tandard(s) or document(s) used, to show how compliance ith cited standard is achieved: AS/NZS 60335.1.2011 Report Certification or Document reference N°(s): S17016A Z5 May 2017	S/NZS ZZ modified R Complies with the ames and addressame(s): SGS A	Yes ne Conformity asses of any	Cooperation Agreem	ent ^s Yes n or body Address(es):	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn,		
ith cited standard is achieved: reference N°(s): AS/NZS 60335.1.2011 S17016A 25 May 2017	S/NZS ZZ modified R Complies with the armes and addressame(s): SGS A ame(s):	Yes The Conformity Sees of any Sees of an	testing organisatio	ent ⁵ Yes n or body Address(es): Address(es):	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn, VIC 3130 Australia	No □ N/A ⊠	
AS/NZS 60335.1.2011 S17016A 25 May 2017	S/NZS ZZ modified R Complies with the armes and addressame(s): SGS A ame(s):	Yes The Conformity Sees of any Sees of an	testing organisatio	ent ⁵ Yes n or body Address(es): Address(es):	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn, VIC 3130 Australia	No □ N/A ⊠	
	S/NZS ZZ modified R Complies with the armes and address lame(s): SGS A lame(s):	Yes Yes Yes Yes Yes Yes Yes Yes	testing organisatio	ent ⁵ Yes n or body Address(es): Address(es):	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn, VIC 3130 Australia date that show how compliance is Report Certification or Document	No □ N/A ☑	
AS/NZS60335.2.102:2013 S17016 30 May 2017	S/NZS ZZ modified OR Complies with the ames and address lame(s): SGS A Iame(s): Seference to relevate the cited standard is	Yes Yes Yes Yes Yes Yes Yes Yes	testing organisatio	ent ⁵ Yes n or body Address(es): Address(es):	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn, VIC 3130 Australia date that show how compliance is Report Certification or Document reference N°(s):	No ☐ N/A ☒ achieved Issue dates(s):	
AS 60529-2004 S18054 20 April 2018	S/NZS ZZ modified PR Complies with the ames and address and address ame(s): SGS A lame(s): eference to relevate the cited standard is AS/NZS 60335.	Yes The Conformity sees of any ustralia vant test reprent(s) used, to achieved:	testing organisatio	ent ⁵ Yes n or body Address(es): Address(es):	AS/NZS ZZ modified Yes No 73 Williams Road Blackburn, VIC 3130 Australia date that show how compliance is Report Certification or Document reference N°(s):	No ☐ N/A ☒ achieved Issue dates(s): 25 May 2017	
	S/NZS ZZ modified R Complies with the ames and address ame(s): SGS A ame(s): eference to relevate tandard(s) or documith cited standard is AS/NZS 60335.2	Yes The Conformity sees of any ustralia vant test reprent(s) used, to achieved:	testing organisatio	ent ⁵ Yes n or body Address(es): Address(es):	AS/NZS ZZ modified Yes No No 73 Williams Road Blackburn, VIC 3130 Australia date that show how compliance is Report Certification or Document reference N°(s): \$17016A \$17016	achieved Issue dates(s): 25 May 2017 30 May 2017	

Supplier Declaration of Conformity (SDoC)

In accordance with ISO/IEC 17050-1:2004

Regulations 2010.		
Signed for and on behalf of:	Issuer Identification (as affixed to the article)	
Rheem New Zealand Limited		
Name and position as authorized by the issuer ⁷ :	(Dhoom)	
lan Horsburgh, R&D Manager	T THOUSE	
Signature:	Date:	
16 1.	25/06/19	

Notes for completion

- 1. Every declaration of conformity should be uniquely identified.
- 2. The responsible issuer must be unequivocally specified.
- 3. The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced-products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.
- 4. The cited standard is the applicable specific safety standard exactly as it is cited in <u>Schedule 4 of the Electricity (Safety) Regulations 2010</u> or AS/NZS 3820, at the date that the declaration is signed. Where a valid Approval exists for a product issued by an Australian State Regulator Office (only), a copy of the Approval Certificate maybe used as evidence of compliance with the alternative AS/NZS 3820.
- 5. This is for products imported and offered for sale under the explicit control of the China "Conformity Cooperation Agreement" such product will be marked in accordance with that agreement and NZ suppliers of such product should obtain documentary evidence to support any claim that a product is covered by the agreement. Warning a product offered for sale that is marked in accordance with the CCA, that is not actually covered by the CCA is illegal and subject to a fixed infringement Fee fine.
- 6. Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.
- Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organisation.

Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

Additional information regarding the declaration

"Issuer Identification" as affixed to the article: this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available upon request. (Note: A copy of the SDoC and supporting documentation for a Medium risk declared article must be supplied within 10 working days of a request by Energy Safety. Also a copy of the SDoC must be supplied within 10 working days of a request by any potential purchaser of the Medium risk declared article).

A person who sells or offers for sale, a Medium risk declared article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, within the time allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

Supplier Declaration of Conformity (SDoC)

In accordance with ISO/IEC 17050-1:2004

See <u>listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles</u>, on the Energy Safety website <u>www.energysafety.govt.nz</u>.

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

This completed form remains with the issuer as part of the documentation required as evidence of compliance DO NOT submit a copy of this form to Energy Safety unless specifically requested to do so.